

MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Document Preparation Date: 14.11.2019

1-) PRODUCT AND PRODUCER IDENTIFICATION

1.1 PRODUCT IDENTIFICATION

Product Name: DAX LIQUID MATIC FOR WHITES

1.2 PRODUCT AREAS OF USAGE AND INADVISABLE USAGE AREAS

The product is suitable for laundry washing. Avoid from direct contact with eyes and mouth.

1.3 PRODUCER INFORMATIONS

Producer: DAĞLI TRADING LTD.

Prepared by: Nurdan KAYA (Chemical Engineer)

nurdanay01@gmail.com - 5464011810

1.4 EMERGENCY SITUATION LINE

International Poison Consultation Center (UZEM) : 114

Emergency Health Service : 112

2-) HARMFULNESS SPESIFICATION

2.1 PRODUCT CLASSIFICATION

Classification (28848 T.C.)

Physical and Chemical Hazards Not Classified

Human Health

Acute Tox. 3 H301

Acute Tox. 3 H331

Skin Irritation 2 H315

Skin Corrosive 1B H314

Eye Damage 1 H318

Environment

Aquatic Chronic 1 H400

Aquatic Chronic 1 H410

Aquatic Chronic 3 H412



MATERIAL SAFETY DATA SHEET**DAX LIQUID MATIC FOR WHITES**

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

2.2 LABEL FACTOR**Labelling (28848 T.C.)**

Warning Instruction : Attention

Harmfulness Significations :

- H315** Causes skin irritation
H317 Causes allergic reactions
H319 Causes serious eye damage
H410 Very toxic at aquatic environment for long time

Prevention Significations :

- P264** Wash your hands after using
P273 Avoid to release to environment
P280 Use protector glove/ protector cloth/ eyesprotector/
face protector.
- P302+P352** In case of skin contact, wash with plenty of water
P305+P351 +P338 In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.
- P337 + P313** If the eye irritation is persist, apply to a doctor

2.3 OTHER HARMFULNESS

The product doesn't characterize as PBT and vPvT

3.INGREDIENTS OF THE PRODUCT

INCI Name	CAS Number	EINECS/ELICS Numbers	Function	Classification (According to SEA)	Concentration (%)*
Aqua	7732-18-5	231-791-2	Solvent	Not Classified	*
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6	500-337-8	Surfactant	Aquatic Acute 1 H400 Aquatic Chronic 3 H412	%≥1 - %<5

MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Sodium Laureth Sulfate	3088-31-1 / 9004-82-4 / 68891-38-3 / 1335-72-4 / 68585-34-2 / 91648-56-5	221-416-0 / - / 500-234-8 / - / 500-223-8 / 293-918-8	Cleansing Emulsifying Surfactant	Skin Irritant 2 H315 Eye Damage 1 H318 Aquatic Chronic 3 H412	%≥1 - %<5
Alcohols, C12-15, ethoxylated	68131-39-5	500-195-7	Emulsifying Surfactant	Skin Irritant 2 H315 Eye Damage 1 H318 Aquatic Acute 1 H400	%5-15
Ethoxylated Polyethylenepolyamine	68130-99-4	680-333-1	Surfactant	Skin Irritant 2 H315 Eye Irritation 2 H319	%<1
Fatty acids, coco, potassium salts	61789-30-8	263-049-9	Surfactant	Not Classified	%≥1 - %<5
Benzyl Salicylate, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran, Pentyl Salicylate, 1- (1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl-2- naphthyl)ethan-1-one, α- hexylcinnamaldehyde, Coumarin, 2-(4-tert- butylbenzyl)propionaldehyde, 2,6-dimethyloct-7-en-2-ol, 2- tert-butylcyclohexyl acetate, Undecan-4-olide, Patchouli, Ext., Dipentene, Citronellol, 2,4- dimethylcyclohex-3-ene1- carbaldehyde, Caryophyllene, 1- (2,6,6-trimethyl-3-cyclohexen- 1-yl)-2-buten-1-one	118-58-1 / 1222-05-5 / 2050-08-0 / 54464-57- 2 / 101-86-0 / 91-64-5 / 80-54-6 / 18479-58-8 / 88-41-5 / 104-67-6 / 84238-39-1 / 138-86-3 / 106-22-9 / 68039- 49-6 / 87-44-5 / 57378-68-4	204-262-9 / 214-946- 9 / 218-080-2 / 259- 174-3 / 202-983-3 / 202-086-7 / 201-289- 8 / 242-362-4 / 201- 828-7 / 203-225-4 / 282-493-4 / 205-341- 0 / 203-375-0 / 268- 264-1 / 201-746-1 / 260-709-8	Perfuming	Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Aquatic Chronic 3 H412 Skin Sens. 1B H317 Skin Irritant 2 H315 Eye Irritation 2 H319	%<1
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)	55965-84-9	611-341-5	Preservative	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	%<1
Styrene / Acrylates Copolymer (and) Coco- Glucoside	9010-92-8/141464-42- 8	618-461-7/604-223- 9	Opacifying	Skin Irritant 2 H315 Eye Irritation 2 H319	%<1
Citric Acid	77-92-9	201-069-1	Buffring Chealting	Eye Irritation 2 H319	%<1
Sodium Chloride	7647-14-5	231-598-3	Bulking	Not Classified	%≥1 - ≤%5

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

The datas have been specified according to current E.U. and T.C. regulations.

MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

4. FIRST AID PRECAUTIONS

4.1 EXPLANATION OF FIRST AID PRECAUTIONS

General Informations:

Apply general first aid, let rest, keep warm and provide fresh air. If the casualty is fainted, don't try to give anything to drink or eat.

In situation of resumption of sickness, apply to a doctor.

In case of inhalation: Take patient to fresh air immediately. If breathing has stopped, apply artificial respiration.

In case of swallow: Don't vomiting if swallowed. Drink plenty of water. Never give anything by mouth to unconscious patient.

In case of skin contact: Take of all clothes and shoes which contaced, rinse with plenty of water during 15 minutes.

In case of eye contact: Keep open the eyelids and rinse with running water 15 minutes.

5. FIRE FIGHTNING PRECAUTION

5.1 FIRE EXTINGUISHERS

Suitable Fire extinguishers: Dry chemical powder. Alcohol resistant foam. Carbon dioxide (CO₂)

Unsuitable Fire extinguishers: No information available

5.2 ESPECIAL DAMAGES

The product is no burnable and explosive.

5.3 ADVICES FOR FIRE EXTINGUISHERS

Especial methods for fire fightning:

Use presured air mask in situation of fire. Cool the equipments which affected from fire.

Protector equipments:



MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

In case of fire, use independent inhalation gizmo and protection cloth.

6. PRECAUTIONS AGAINST TO DIFFUSE AFTER ACCIDENT

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal protective equipment as required.

6.2 ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not allow product to enter storm drains, lakes, or streams.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods for Containment : *Prevent further leakage or spillage if safe to do so. Remove absorbed material by stripping into closed containers.*

Methods for Cleaning Up :

Small amounts of liquid spill: absorb non-combustible absorbent material and shovel into a container for disposal. Large spills: control released substance, pump into suitable containers. Dispose of this product and packaging safely in accordance with applicable legislation.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFELY HANDLING

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink, or smoke when using this product.

7.2 CONDITIONS FOR SAFELY STORAGE

Store away from children. Reclose cap tightly after each use. Store this product upright in a cool, dry area, away from direct sunlight and heat to avoid deterioration. Do not contaminate food or feed by storage of this product.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTIONS

Components with workplace control parameters



MATERIAL SAFETY DATA SHEET**DAX LIQUID MATIC FOR WHITES**

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Showers - Eyewash stations - Ventilation systems

Respiratory protection : No personal respiratory protective equipment normally required.

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Wear safety glasses with side shields (or goggles) or face shield.

Skin and hand protection : Wear rubber or neoprene gloves and protective clothing such as long-sleeved shirt.

Respiratory protection : If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 INFORMATIONS ABOUT GENERAL FUNDAMENTAL PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Opaque
Colour	Not determined
Odour	Characteristic
Odour Threshold	Not determined
pH value @20°	8,5 - 9
Melting point	Not determined
Boiling point	Not determined
Flashing point	Not flammable
Evaporation rate (butyl acetate=1)	Not determined
Flammability	Not determined
Max/Min expolsing limits	Not explosive
VaporPressure (mmHg)	Not determined
Vapor Density (air=1)	Not determined



MATERIAL SAFETY DATA SHEET**DAX LIQUID MATIC FOR WHITES**

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Solubility	Soluble
Distribution coefficient	Not determined
Inflammation temperature	Not determined
Degradation temperature	Not determined
Viscosity (SP4, 100 RPM, @20°C)(cp)	400 - 600

10. STABILITY AND REACTION

10.1 REACTION: *There is no any known hazardous reaction.*

10.2 CHEMICAL STABILITY: *Stable under recommended storage conditions.*

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: *None under normal processing.*

10.4 SITUATIONS TO AVOID: *None known based on information supplied.*

10.5 INCOMPATIBLE MATERIALS: *There is no any material under normal use conditions.*

11. TOXICOLOGICAL INFORMATIONS**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS****PRODUCT:**

Inhalation: *Not irritant*

Eye contact: *Corrosive. May cause severe damage to eyes.*

Skin Contact: *May cause irritation to skin. Prolonged contact may cause burns to skin.*

Ingestion: *Ingestion may cause gastrointestinal and respiratory tract, nausea, vomiting and diarrhea.*

Acute oral toxicity: *No information available*

Acute dermal toxicity: *No information available*

Information on toxicological effects:

Symptoms :*May cause redness and tearing of the eyes. May cause burns to eyes. May cause redness or burns to skin. Inhalation may cause coughing.*



MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Sensitization: No information available.

Mutagenic Effects: No information available.

Carcinogenicity: No information available.

Reproductive Toxicity: No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Carcinogenic potential is unknown.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard No information available.

COMPONENTS:

Alcohols, C13-15, branched and linear, ethoxylated:

Acut toxicity oral LD50: >5000 mg/kg

Acut toxicity dermal LD50: >2000 mg/kg

Skin Contact: Not irritant on skin

Eye Contact: Risk of serious damage to eyes.

Inhalation: Not irritant

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Sodium Laureth Sulfate:

Acut toxicity oral LD50: >5000 mg/kg

Acut toxicity dermal LD50: >2000 mg/kg

Skin Contact: Irritant on skin

Eye Contact: Risk of serious damage to eyes.

Inhalation: Does not need to be labeled as harmful or toxic by inhalation

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Alcohols, C12-15, ethoxylated:

Acut toxicity oral LD50: 2000 mg/kg

Acut toxicity dermal LD50: >2000 mg/kg

Skin Contact: Not irritant on skin

Eye Contact: Risk of serious damage to eyes.

Inhalation: No information available

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Ethoxylated Polyethylenepolyamine:

Acut toxicity oral LD50: >2000 mg/kg

Acut toxicity dermal LD50: >5000 mg/kg

Skin Contact: Non irritant

Eye Contact: Non irritant

Inhalation: Non irritant

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Fatty acids, coco, potassium salts:

Acut toxicity oral LD50: >10000 mg/kg

Acut toxicity dermal LD50: No information available

Skin Contact: No information available

Eye Contact: No information available

Inhalation: No information available

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acut toxicity oral LD50: 69 mg/kg

Acut toxicity dermal LD50: 141 mg/kg

Skin Contact: Irritant



MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

Eye Contact: Irritant

Inhalation: No information available

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Citric Acid:

Acut toxicity LD50: 375 mg/kg

Acut toxicity LD50: No information available

Skin Contact: No information available

Eye Contact: Causes irritation on eyes

Inhalation: Causes allergic reactions if inhaled for long time

STOT - single exposure: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

STOT - repeated exposure : The information available on the product provides no indication of toxicity on target organs after repeated exposure.

12. ECOTOXICOLOGY INFORMATIONS

12.1 ECOTOXICITY

Very toxic to aquatic life with long lasting effects. This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not allow product to enter storm drains, lakes, or streams.

12.2 PERSISTENCY AND BIODEGRADABILITY

No data available.

12.3 BIOACCUMULATIVE POTENTIAL

No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 RESULT of ASSESMENT of PBT and vPvT

No data available.



MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

12.6 OTHER ADVERSE EFFECTS

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state/provincial and Federal regulations. Don't let to distribution into spring, land and sewage. The product is toxic for the organisms which live in the water.

14. TRANSPORT INFORMATIONS

Road Transportation RID/ADR : Not classified as dangerous for transport.

Sea Transportation: IMDG (Dangerous material transportation on the sea) Not classified as dangerous.

Air Transportation: IATA-DGR'ye (Dangerous material transportation on the air) Not classified as dangerous.

15. REGULATORY INFORMATIONS

15.1 SAFETY, HEALTY AND ENVIRONMENT REGULATION FOR MATERIALS AND MIXTURES

NATIONAL REGULATION

- *Turkey Republic Ministry of Environment and Urban Planning, the regulation about labelling and packing of materials and mixtures, 11 December 2013 dated, 28848 numbered.*
- *Ministry of Labour and Social Security, the regulation about safety measure and healthy on chemical materials, 12 August 2013 dated, 28733 numbered.*
- *Ministry of Labour and Social Security, the regulation about using personal protection materials at working place, 02 July 2013 dated, 28695 numbered.*
- *Ministry of Labour and Social Security, occupational health and safety law, 30 June 2012 dated, 6331 numbered.*

16. OTHER INFORMATIONS

16.1 THE ABRIDGMENTS IN THE MSDS



MATERIAL SAFETY DATA SHEET

DAX LIQUID MATIC FOR WHITES

The MSDS has been prepared according to EU REGULATION (EU) 2015/830 dated 29.05.2015

ADR: Europe agreement about dangerous products' transportation on the road

ADN: Europe agreement about dangerous products' transportation by sea between continents

RID: Europe agreement about dangerous products' transportation by railway

IATA: International airway transportation association

CAS: Chemical hypothesis service

PBT: Permanent, bioaccumulative and toxic material

vPvT: So permanent, so bioaccumulative

ATE: Estimated acute toxicity döşe

SEA: Classification, labelling, packing regulation

DNEL: Derivated non effect level

PNEC: Predicted non effect concentration

BHOT: Spesific target organ toxicity

16.2 ARRANGER

*The MSDS has been arrenge**d by:** Nurdan KAYA*

Expert no: TÜV/11.18.08

